

**TORAY Waterless CTP plate sizes (TAC VG5 version)**

No.	Size ID	TAC	Gauge (GA)	Length (mm)	Width (mm)	QTY per box
1	J01	TAC15	0.15 mm (.006")	112	100	500
2	C96	TAC15	0.15 mm (.006")	150	150	500
3	C85	TAC15	0.15 mm (.006")	154	80	1000
4	D61	TAC15	0.15 mm (.006")	155	80	1000
5	Z49	TAC15	0.15 mm (.006")	156	80	1000
6	B83	TAC15	0.15 mm (.006")	170	150	1000
7	B65	TAC15	0.15 mm (.006")	210	140	500
8	Z67	TAC15	0.15 mm (.006")	210	150	500
9	K25	TAC15	0.15 mm (.006")	217	207	100
10	K62	TAC15	0.15 mm (.006")	220	170	
11	K40	TAC15	0.15 mm (.006")	220	207	500
12	A08	TAC15	0.15 mm (.006")	230	200	500
13	B45	TAC15	0.15 mm (.006")	230	220	500
14	G27	TAC15	0.15 mm (.006")	234	135	500
15	J14	TAC15	0.15 mm (.006")	235	135	500
16	W81	TAC15	0.15 mm (.006")	247	200	100
17	H60	TAC15	0.15 mm (.006")	253	150	500
18	P47	TAC15	0.15 mm (.006")	254	150	500
19	P16	TAC15	0.15 mm (.006")	266	210	100
20	Z38	TAC15	0.15 mm (.006")	267	211	100
21	B90	TAC15	0.15 mm (.006")	270	209	100
22	G25	TAC15	0.15 mm (.006")	292	276	100
23	F61	TAC15	0.15 mm (.006")	300	150	100
24	A84	TAC15	0.15 mm (.006")	311	311	100
25	F85	TAC15	0.15 mm (.006")	316	275	100
26	P94	TAC15	0.15 mm (.006")	330	318	100
27	B58	TAC15	0.15 mm (.006")	340	295	100
28	K59	TAC15	0.15 mm (.006")	340	300	100
29	A21	TAC15	0.15 mm (.006")	350	300	100
30	B31	TAC15	0.15 mm (.006")	350	320	100
31	Y29	TAC15	0.15 mm (.006")	352	292	100
32	K22	TAC15	0.15 mm (.006")	356	292	100
33	A48	TAC15	0.15 mm (.006")	370	250	100
34	Z34	TAC15	0.15 mm (.006")	370	270	100
35	B10	TAC15	0.15 mm (.006")	370	324	100
36	U35	TAC15	0.15 mm (.006")	380	254	100
37	M68	TAC15	0.15 mm (.006")	381	254	100
38	G05	TAC15	0.15 mm (.006")	384	280	50
39	P69	TAC15	0.15 mm (.006")	394	330	100
40	B22	TAC15	0.15 mm (.006")	394	356	100
41	N56	TAC15	0.15 mm (.006")	414	360	100
42	U43	TAC15	0.15 mm (.006")	415	280	100
43	Z65	TAC15	0.15 mm (.006")	420	300	100
44	M86	TAC15	0.15 mm (.006")	420	397	50
45	A78	TAC15	0.15 mm (.006")	430	375	100
46	B36	TAC15	0.15 mm (.006")	434	414	100
47	U16	TAC15	0.15 mm (.006")	450	370	100
48	A58	TAC15	0.15 mm (.006")	450	375	100
49	T66	TAC15	0.15 mm (.006")	450	381	100
50	C87	TAC15	0.15 mm (.006")	451	370	100
51	B51	TAC15	0.15 mm (.006")	455	370	100

52	M84	TAC15	0.15 mm (.006")	457	381	100
53	U63	TAC15	0.15 mm (.006")	458	300	50
54	B97	TAC15	0.15 mm (.006")	458	310	50
55	M78	TAC15	0.15 mm (.006")	458	381	100
56	Z29	TAC15	0.15 mm (.006")	460	324	100
57	S88	TAC15	0.15 mm (.006")	460	413	100
58	P48	TAC15	0.15 mm (.006")	462	300	100
59	U38	TAC15	0.15 mm (.006")	467	400	50
60	A61	TAC15	0.15 mm (.006")	468	262	100
61	M14	TAC15	0.15 mm (.006")	468	450	100
62	A14	TAC15	0.15 mm (.006")	471	318	100
63	M03	TAC15	0.15 mm (.006")	472	274	100
64	F90	TAC15	0.15 mm (.006")	472	310	100
65	M15	TAC15	0.15 mm (.006")	472	400	100
66	G48	TAC15	0.15 mm (.006")	473	310	100
67	M58	TAC15	0.15 mm (.006")	473	324	100
68	A86	TAC15	0.15 mm (.006")	478	306	100
69	Q94	TAC15	0.15 mm (.006")	478	350	100
70	A02	TAC15	0.15 mm (.006")	481	350	100
71	M57	TAC15	0.15 mm (.006")	483	335	100
72	U27	TAC15	0.15 mm (.006")	483	405	100
73	U27	TAC15	0.15 mm (.006")	483	405	50
74	Z97	TAC15	0.15 mm (.006")	485	335	100
75	P21	TAC15	0.15 mm (.006")	485	345	100
76	D90	TAC15	0.15 mm (.006")	485	405	50
77	K52	TAC15	0.15 mm (.006")	486	335	100
78	U42	TAC15	0.15 mm (.006")	490	368	100
79	U22	TAC15	0.15 mm (.006")	492	324	50
80	U66	TAC15	0.15 mm (.006")	492	330	100
81	B20	TAC15	0.15 mm (.006")	492	340	50
82	M42	TAC15	0.15 mm (.006")	500	370	100
83	P05	TAC15	0.15 mm (.006")	500	400	100
84	A74	TAC15	0.15 mm (.006")	500	500	100
85	A64	TAC15	0.15 mm (.006")	505	340	50
86	T18	TAC15	0.15 mm (.006")	506	300	100
87	A37	TAC15	0.15 mm (.006")	506	325	100
88	T84	TAC15	0.15 mm (.006")	510	400	100
89	T84	TAC15	0.15 mm (.006")	510	400	100
90	T87	TAC15	0.15 mm (.006")	510	410	100
91	P86	TAC15	0.15 mm (.006")	512	400	100
92	G85	TAC15	0.15 mm (.006")	513	400	100
93	B07	TAC15	0.15 mm (.006")	515	350	100
94	P03	TAC15	0.15 mm (.006")	515	394	100
95	P92	TAC15	0.15 mm (.006")	515	400	100
96	V04	TAC15	0.15 mm (.006")	515	410	100
97	H34	TAC15	0.15 mm (.006")	515	415	50
98	A63	TAC15	0.15 mm (.006")	520	381	50
99	T59	TAC15	0.15 mm (.006")	520	400	50
100	T61	TAC15	0.15 mm (.006")	520	415	50
101	W16	TAC15	0.15 mm (.006")	521	416	50
102	Q73	TAC15	0.15 mm (.006")	521	420	50
103	F28	TAC15	0.15 mm (.006")	525	459	50
104	D29	TAC15	0.15 mm (.006")	530	400	50
105	V78	TAC15	0.15 mm (.006")	540	404	50

106	A18	TAC15	0.15 mm (.006")	628	352	50
107	V74	TAC15	0.15 mm (.006")	650	530	50
108	V59	TAC15	0.15 mm (.006")	679	352	50
109	A68	TAC15	0.15 mm (.006")	745	551	50
110	N89	TAC15	0.15 mm (.006")	1030	800	50
111	Z98	TAC15	0.15 mm (.006")	1080	815	
112	Z99	TAC15	0.15 mm (.006")	1080	933	
113	F73	TAC24	0.24 mm (.009")	150	150	500
114	C90	TAC24	0.24 mm (.009")	181	139	500
115	B32	TAC24	0.24 mm (.009")	210	140	500
116	U83	TAC24	0.24 mm (.009")	210	150	500
117	J22	TAC24	0.24 mm (.009")	220	207	500
118	G21	TAC24	0.24 mm (.009")	234	135	500
119	R27	TAC24	0.24 mm (.009")	260	256	100
120	U88	TAC24	0.24 mm (.009")	265	210	100
121	D95	TAC24	0.24 mm (.009")	267	211	100
122	M85	TAC24	0.24 mm (.009")	275	260	100
123	B53	TAC24	0.24 mm (.009")	278	256	100
124	Y89	TAC24	0.24 mm (.009")	292	274	100
125	C91	TAC24	0.24 mm (.009")	292	276	100
126	B40	TAC24	0.24 mm (.009")	297	210	100
127	G11	TAC24	0.24 mm (.009")	307	270	100
128	A12	TAC24	0.24 mm (.009")	310	210	100
129	Z33	TAC24	0.24 mm (.009")	310	293	100
130	A20	TAC24	0.24 mm (.009")	311	270	100
131	A91	TAC24	0.24 mm (.009")	316	316	100
132	J56	TAC24	0.24 mm (.009")	336	270	100
133	K55	TAC24	0.24 mm (.009")	336	304	100
134	K46	TAC24	0.24 mm (.009")	336	308	100
135	B59	TAC24	0.24 mm (.009")	340	295	100
136	B09	TAC24	0.24 mm (.009")	354	330	50
137	F54	TAC24	0.24 mm (.009")	357	285	100
138	A65	TAC24	0.24 mm (.009")	370	270	50
139	G79	TAC24	0.24 mm (.009")	380	285	100
140	B94	TAC24	0.24 mm (.009")	400	350	50
141	V65	TAC24	0.24 mm (.009")	408	336	50
142	Q50	TAC24	0.24 mm (.009")	419	410	50
143	U41	TAC24	0.24 mm (.009")	420	397	50
144	B16	TAC24	0.24 mm (.009")	422	330	50
145	Y78	TAC24	0.24 mm (.009")	424	405	50
146	K98	TAC24	0.24 mm (.009")	424	410	50
147	H72	TAC24	0.24 mm (.009")	430	365	50
148	G15	TAC24	0.24 mm (.009")	432	360	50
149	B64	TAC24	0.24 mm (.009")	445	406	50
150	U09	TAC24	0.24 mm (.009")	450	370	50
151	B11	TAC24	0.24 mm (.009")	450	450	100
152	A99	TAC24	0.24 mm (.009")	455	360	50
153	A94	TAC24	0.24 mm (.009")	455	435	50
154	C19	TAC24	0.24 mm (.009")	456	360	50
155	H71	TAC24	0.24 mm (.009")	460	324	50
156	Z86	TAC24	0.24 mm (.009")	470	180	100
157	M52	TAC24	0.24 mm (.009")	470	200	100
158	H66	TAC24	0.24 mm (.009")	472	180	100
159	H20	TAC24	0.24 mm (.009")	474	180	100

160	D49	TAC24	0.24 mm (.009")	476	200	100
161	K64	TAC24	0.24 mm (.009")	480	330	50
162	M54	TAC24	0.24 mm (.009")	483	335	50
163	D60	TAC24	0.24 mm (.009")	485	335	50
164	A85	TAC24	0.24 mm (.009")	492	324	50
165	B21	TAC24	0.24 mm (.009")	492	340	50
166	U61	TAC24	0.24 mm (.009")	500	200	100
167	T40	TAC24	0.24 mm (.009")	500	400	50
168	B15	TAC24	0.24 mm (.009")	506	325	50
169	M27	TAC24	0.24 mm (.009")	510	323	50
170	P02	TAC24	0.24 mm (.009")	510	400	50
171	V55	TAC24	0.24 mm (.009")	510	410	50
172	H68	TAC24	0.24 mm (.009")	512	400	50
173	Z83	TAC24	0.24 mm (.009")	515	350	50
174	T03	TAC24	0.24 mm (.009")	520	400	50
175	T04	TAC24	0.24 mm (.009")	520	415	50
176	A06	TAC24	0.24 mm (.009")	525	459	50
177	Z77	TAC24	0.24 mm (.009")	525	460	50
178	D13	TAC24	0.24 mm (.009")	530	400	50
179	H63	TAC24	0.24 mm (.009")	530	450	50
180	Z59	TAC24	0.24 mm (.009")	550	310	50
181	B48	TAC24	0.24 mm (.009")	550	325	50
182	D77	TAC24	0.24 mm (.009")	560	210	50
183	P08	TAC24	0.24 mm (.009")	564	470	50
184	G61	TAC24	0.24 mm (.009")	570	210	50
185	C74	TAC24	0.24 mm (.009")	570	470	50
186	T99	TAC24	0.24 mm (.009")	570	506	50
187	M83	TAC24	0.24 mm (.009")	572	469	50
188	W28	TAC24	0.24 mm (.009")	574	460	50
189	D12	TAC24	0.24 mm (.009")	580	210	50
190	B43	TAC24	0.24 mm (.009")	580	249	50
191	N46	TAC24	0.24 mm (.009")	580	250	50
192	Q45	TAC24	0.24 mm (.009")	580	254	50
193	V86	TAC24	0.24 mm (.009")	580	370	50
194	J97	TAC24	0.24 mm (.009")	597	521	50
195	G30	TAC24	0.24 mm (.009")	600	200	50
196	J51	TAC24	0.24 mm (.009")	600	225	50
197	J91	TAC24	0.24 mm (.009")	600	260	50
198	A01	TAC24	0.24 mm (.009")	600	285	50
199	K58	TAC24	0.24 mm (.009")	600	295	50
200	Z60	TAC24	0.24 mm (.009")	600	300	50
201	V67	TAC24	0.24 mm (.009")	600	400	50
202	G08	TAC24	0.24 mm (.009")	600	506	50
203	W58	TAC24	0.24 mm (.009")	600	600	50
204	K93	TAC24	0.24 mm (.009")	605	455	50
205	A51	TAC24	0.24 mm (.009")	610	200	50
206	Y96	TAC24	0.24 mm (.009")	610	260	50
207	Q51	TAC24	0.24 mm (.009")	610	280	50
208	K81	TAC24	0.24 mm (.009")	610	290	50
209	G84	TAC24	0.24 mm (.009")	610	295	50
210	K23	TAC24	0.24 mm (.009")	610	300	50
211	D25	TAC24	0.24 mm (.009")	610	330	50
212	V88	TAC24	0.24 mm (.009")	610	370	50
213	A57	TAC24	0.24 mm (.009")	610	470	50

214	A17	TAC24	0.24 mm (.009")	610	475	50
215	T36	TAC24	0.24 mm (.009")	610	476	50
216	W52	TAC24	0.24 mm (.009")	610	580	50
217	P11	TAC24	0.24 mm (.009")	625	550	50
218	A03	TAC24	0.24 mm (.009")	635	362	50
219	T55	TAC24	0.24 mm (.009")	640	483	50
220	P06	TAC24	0.24 mm (.009")	645	460	50
221	T15	TAC24	0.24 mm (.009")	645	510	50
222	P13	TAC24	0.24 mm (.009")	650	530	50
223	T16	TAC24	0.24 mm (.009")	650	550	50
224	B41	TAC24	0.24 mm (.009")	650	560	50
225	D58	TAC24	0.24 mm (.009")	655	530	50
226	T69	TAC24	0.24 mm (.009")	670	550	50
227	K26	TAC24	0.24 mm (.009")	670	560	50
228	T06	TAC24	0.24 mm (.009")	670	560	50
229	B39	TAC24	0.24 mm (.009")	673	559	50
230	D92	TAC24	0.24 mm (.009")	680	210	100
231	K02	TAC24	0.24 mm (.009")	690	204	100
232	A31	TAC24	0.24 mm (.009")	700	550	30
233	A40	TAC24	0.24 mm (.009")	700	560	50
234	A29	TAC24	0.24 mm (.009")	711	432	50
235	N72	TAC24	0.24 mm (.009")	714	510	50
236	P01	TAC24	0.24 mm (.009")	717	581	50
237	P93	TAC24	0.24 mm (.009")	717	597	50
238	T10	TAC24	0.24 mm (.009")	724	615	50
239	G14	TAC24	0.24 mm (.009")	725	575	50
240	W32	TAC24	0.24 mm (.009")	730	600	50
241	A69	TAC24	0.24 mm (.009")	745	551	50
242	F47	TAC24	0.24 mm (.009")	745	605	50
243	T12	TAC24	0.24 mm (.009")	745	620	50
244	A04	TAC24	0.24 mm (.009")	745	660	50
245	A27	TAC24	0.24 mm (.009")	750	605	40
246	P82	TAC24	0.24 mm (.009")	760	605	40
247	B05	TAC24	0.24 mm (.009")	770	605	40
248	A07	TAC24	0.24 mm (.009")	770	660	30
249	A96	TAC24	0.24 mm (.009")	770	635	40
250	A83	TAC24	0.24 mm (.009")	775	605	40
251	A52	TAC24	0.24 mm (.009")	775	635	40
252	A70	TAC24	0.24 mm (.009")	794	635	40
253	A73	TAC24	0.24 mm (.009")	800	660	40
254	B37	TAC24	0.24 mm (.009")	803	660	30
255	X21	TAC24	0.24 mm (.009")	820	645	40
256	S02	TAC24	0.24 mm (.009")	830	645	40
257	S03	TAC24	0.24 mm (.009")	840	665	30
258	S04	TAC24	0.24 mm (.009")	860	645	30
259	X01	TAC24	0.24 mm (.009")	860	650	30
260	A93	TAC24	0.24 mm (.009")	860	720	30
261	X24	TAC24	0.24 mm (.009")	895	715	30
262	S07	TAC24	0.24 mm (.009")	896	715	30
263	H52	TAC24	0.24 mm (.009")	900	570	30
264	S84	TAC24	0.24 mm (.009")	900	605	30
265	X54	TAC24	0.24 mm (.009")	900	630	30
266	S59	TAC24	0.24 mm (.009")	910	600	30
267	A56	TAC24	0.24 mm (.009")	930	576	30

268	X41	TAC24	0.24 mm (.009")	930	605	30
269	S91	TAC24	0.24 mm (.009")	930	606	30
270	X78	TAC24	0.24 mm (.009")	930	614	30
271	R84	TAC24	0.24 mm (.009")	960	790	30
272	A67	TAC24	0.24 mm (.009")	975	710	30
273	A60	TAC24	0.24 mm (.009")	975	715	30
274	R02	TAC24	0.24 mm (.009")	975	755	30
275	C21	TAC24	0.24 mm (.009")	980	715	30
276	N83	TAC24	0.24 mm (.009")	980	720	30
277	A05	TAC24	0.24 mm (.009")	990	370	60
278	K06	TAC24	0.24 mm (.009")	995	649	30
279	J17	TAC24	0.24 mm (.009")	1030	767	30
280	R06	TAC24	0.24 mm (.009")	1030	770	30
281	N76	TAC24	0.24 mm (.009")	1030	785	30
282	N77	TAC24	0.24 mm (.009")	1030	790	30
283	N44	TAC24	0.24 mm (.009")	1030	795	30
284	A33	TAC24	0.24 mm (.009")	1030	800	1000
285	K05	TAC24	0.24 mm (.009")	1030	800	30
286	R08	TAC24	0.24 mm (.009")	1030	800	30
287	J63	TAC24	0.24 mm (.009")	1030	840	20
288	B03	TAC24	0.24 mm (.009")	1045	800	
289	B12	TAC24	0.24 mm (.009")	1045	810	
290	C51	TAC24	0.24 mm (.009")	1055	811	20
291	N14	TAC24	0.24 mm (.009")	1060	643	30
292	A46	TAC24	0.24 mm (.009")	1060	651	30
293	K30	TAC24	0.24 mm (.009")	1060	664	30
294	R35	TAC24	0.24 mm (.009")	1060	681	30
295	A80	TAC24	0.24 mm (.009")	1060	800	20
296	B17	TAC24	0.24 mm (.009")	1060	850	20
297	C33	TAC24	0.24 mm (.009")	1062	681	30
298	F80	TAC24	0.24 mm (.009")	1085	681	30
299	U71	TAC24	0.24 mm (.009")	1085	683	20
300	A54	TAC24	0.24 mm (.009")	1100	398	20
301	C35	TAC24	0.24 mm (.009")	1110	885	20
302	Q66	TAC24	0.24 mm (.009")	1130	900	20
303	J99	TAC24	0.24 mm (.009")	1130	930	800
304	K36	TAC24	0.24 mm (.009")	1130	930	500
305	Q98	TAC24	0.24 mm (.009")	1130	930	20
306	D01	TAC24	0.24 mm (.009")	1310	900	20
307	Q25	TAC24	0.24 mm (.009")	1310	1050	20
308	A53	TAC24	0.24 mm (.009")	1320	920	1000
309	B13	TAC24	0.24 mm (.009")	1320	940	
310	A82	TAC24	0.24 mm (.009")	1450	1300	10
311	J98	TAC30	0.30 mm (.012")	108	810	
312	H78	TAC30	0.30 mm (.012")	110	65	
313	F60	TAC30	0.30 mm (.012")	150	150	500
314	K48	TAC30	0.30 mm (.012")	170	150	500
315	J68	TAC30	0.30 mm (.012")	266	210	100
316	Q52	TAC30	0.30 mm (.012")	270	270	100
317	G74	TAC30	0.30 mm (.012")	286	175	100
318	H24	TAC30	0.30 mm (.012")	300	150	100
319	F64	TAC30	0.30 mm (.012")	300	175	100
320	V71	TAC30	0.30 mm (.012")	300	250	100
321	C57	TAC30	0.30 mm (.012")	304	175	100



322	K15	TAC30	0.30 mm (.012")	307	270	100
323	U28	TAC30	0.30 mm (.012")	340	270	100
324	B86	TAC30	0.30 mm (.012")	340	295	100
325	Q93	TAC30	0.30 mm (.012")	350	305	100
326	U31	TAC30	0.30 mm (.012")	359	342	100
327	J87	TAC30	0.30 mm (.012")	377	342	100
328	A13	TAC30	0.30 mm (.012")	381	342	100
329	T77	TAC30	0.30 mm (.012")	390	320	100
330	M79	TAC30	0.30 mm (.012")	400	320	100
331	B75	TAC30	0.30 mm (.012")	430	360	50
332	A95	TAC30	0.30 mm (.012")	450	375	50
333	K11	TAC30	0.30 mm (.012")	456	360	50
334	S62	TAC30	0.30 mm (.012")	465	314	100
335	V61	TAC30	0.30 mm (.012")	478	350	100
336	K94	TAC30	0.30 mm (.012")	485	313	100
337	S34	TAC30	0.30 mm (.012")	485	314	100
338	Z01	TAC30	0.30 mm (.012")	485	319	100
339	D53	TAC30	0.30 mm (.012")	491	420	50
340	B66	TAC30	0.30 mm (.012")	500	360	50
341	A62	TAC30	0.30 mm (.012")	504	422	50
342	T81	TAC30	0.30 mm (.012")	510	410	50
343	G20	TAC30	0.30 mm (.012")	515	400	50
344	A16	TAC30	0.30 mm (.012")	520	360	50
345	U05	TAC30	0.30 mm (.012")	525	459	50
346	B34	TAC30	0.30 mm (.012")	530	400	50
347	A09	TAC30	0.30 mm (.012")	535	349	50
348	K97	TAC30	0.30 mm (.012")	540	404	50
349	A26	TAC30	0.30 mm (.012")	540	440	50
350	B33	TAC30	0.30 mm (.012")	546	294	50
351	A76	TAC30	0.30 mm (.012")	570	455	50
352	A50	TAC30	0.30 mm (.012")	575	396	50
353	P97	TAC30	0.30 mm (.012")	592	419	50
354	F48	TAC30	0.30 mm (.012")	593	419	50
355	K91	TAC30	0.30 mm (.012")	593	495	50
356	P87	TAC30	0.30 mm (.012")	595	460	50
357	B06	TAC30	0.30 mm (.012")	600	200	50
358	U69	TAC30	0.30 mm (.012")	600	225	50
359	V62	TAC30	0.30 mm (.012")	600	260	50
360	P90	TAC30	0.30 mm (.012")	600	295	50
361	T64	TAC30	0.30 mm (.012")	600	400	50
362	U70	TAC30	0.30 mm (.012")	600	404	50
363	T51	TAC30	0.30 mm (.012")	600	455	50
364	A34	TAC30	0.30 mm (.012")	600	510	50
365	Q90	TAC30	0.30 mm (.012")	603	340	50
366	K13	TAC30	0.30 mm (.012")	605	455	50
367	A22	TAC30	0.30 mm (.012")	609	530	50
368	T78	TAC30	0.30 mm (.012")	610	225	50
369	C93	TAC30	0.30 mm (.012")	610	285	50
370	Y11	TAC30	0.30 mm (.012")	610	295	50
371	F51	TAC30	0.30 mm (.012")	610	300	50
372	T47	TAC30	0.30 mm (.012")	610	510	50
373	P63	TAC30	0.30 mm (.012")	625	550	50
374	K95	TAC30	0.30 mm (.012")	628	485	50
375	P98	TAC30	0.30 mm (.012")	629	465	50

376	S63	TAC30	0.30 mm (.012")	629	485	50
377	J39	TAC30	0.30 mm (.012")	630	560	50
378	B25	TAC30	0.30 mm (.012")	635	610	50
379	Y51	TAC30	0.30 mm (.012")	639	485	50
380	A44	TAC30	0.30 mm (.012")	640	500	50
381	Q53	TAC30	0.30 mm (.012")	640	540	50
382	T38	TAC30	0.30 mm (.012")	645	510	50
383	P50	TAC30	0.30 mm (.012")	645	542	50
384	T85	TAC30	0.30 mm (.012")	650	530	50
385	T35	TAC30	0.30 mm (.012")	650	550	50
386	H09	TAC30	0.30 mm (.012")	654	340	50
387	A23	TAC30	0.30 mm (.012")	654	530	50
388	A42	TAC30	0.30 mm (.012")	655	510	50
389	V68	TAC30	0.30 mm (.012")	655	530	50
390	Y48	TAC30	0.30 mm (.012")	657	530	50
391	H86	TAC30	0.30 mm (.012")	660	526	50
392	W49	TAC30	0.30 mm (.012")	660	530	50
393	W87	TAC30	0.30 mm (.012")	660	550	50
394	H45	TAC30	0.30 mm (.012")	660	560	50
395	V97	TAC30	0.30 mm (.012")	670	490	50
396	D74	TAC30	0.30 mm (.012")	670	498	50
397	A35	TAC30	0.30 mm (.012")	670	510	50
398	T39	TAC30	0.30 mm (.012")	670	560	50
399	K82	TAC30	0.30 mm (.012")	670	654	50
400	W83	TAC30	0.30 mm (.012")	673	560	50
401	J08	TAC30	0.30 mm (.012")	679	340	50
402	H46	TAC30	0.30 mm (.012")	679	358	50
403	P55	TAC30	0.30 mm (.012")	679	510	50
404	K16	TAC30	0.30 mm (.012")	679	522	50
405	A24	TAC30	0.30 mm (.012")	679	530	50
406	B23	TAC30	0.30 mm (.012")	680	610	50
407	B26	TAC30	0.30 mm (.012")	680	650	50
408	A49	TAC30	0.30 mm (.012")	684	378	50
409	A72	TAC30	0.30 mm (.012")	690	204	50
410	B19	TAC30	0.30 mm (.012")	699	525	50
411	A10	TAC30	0.30 mm (.012")	699	535	50
412	P44	TAC30	0.30 mm (.012")	700	465	50
413	V20	TAC30	0.30 mm (.012")	700	548	50
414	A32	TAC30	0.30 mm (.012")	700	550	50
415	U49	TAC30	0.30 mm (.012")	714	605	50
416	G57	TAC30	0.30 mm (.012")	720	556	50
417	T95	TAC30	0.30 mm (.012")	720	557	50
418	C66	TAC30	0.30 mm (.012")	720	595	50
419	T52	TAC30	0.30 mm (.012")	724	615	50
420	H15	TAC30	0.30 mm (.012")	725	565	50
421	A15	TAC30	0.30 mm (.012")	730	600	50
422	T33	TAC30	0.30 mm (.012")	730	605	50
423	C80	TAC30	0.30 mm (.012")	735	600	50
424	G10	TAC30	0.30 mm (.012")	737	600	50
425	C86	TAC30	0.30 mm (.012")	740	575	50
426	P60	TAC30	0.30 mm (.012")	740	605	50
427	K66	TAC30	0.30 mm (.012")	743	557	50
428	T24	TAC30	0.30 mm (.012")	745	557	50
429	W79	TAC30	0.30 mm (.012")	745	605	50



430	J54	TAC30	0.30 mm (.012")	745	635	50
431	W04	TAC30	0.30 mm (.012")	745	660	30
432	Q79	TAC30	0.30 mm (.012")	760	605	40
433	A36	TAC30	0.30 mm (.012")	762	508	30
434	H96	TAC30	0.30 mm (.012")	770	660	40
435	A92	TAC30	0.30 mm (.012")	775	644	40
436	X67	TAC30	0.30 mm (.012")	775	680	40
437	B24	TAC30	0.30 mm (.012")	775	685	40
438	S78	TAC30	0.30 mm (.012")	782	660	40
439	A45	TAC30	0.30 mm (.012")	794	575	30
440	B42	TAC30	0.30 mm (.012")	796	775	30
441	A88	TAC30	0.30 mm (.012")	800	660	30
442	G70	TAC30	0.30 mm (.012")	807	680	30
443	S67	TAC30	0.30 mm (.012")	825	692	30
444	P95	TAC30	0.30 mm (.012")	839	592	30
445	S27	TAC30	0.30 mm (.012")	839	593	30
446	H47	TAC30	0.30 mm (.012")	851	680	30
447	K56	TAC30	0.30 mm (.012")	883	552	30
448	X07	TAC30	0.30 mm (.012")	890	598	30
449	S48	TAC30	0.30 mm (.012")	895	715	30
450	X90	TAC30	0.30 mm (.012")	900	570	30
451	G72	TAC30	0.30 mm (.012")	900	575	30
452	S96	TAC30	0.30 mm (.012")	900	600	30
453	S10	TAC30	0.30 mm (.012")	900	602	30
454	P83	TAC30	0.30 mm (.012")	900	605	30
455	S24	TAC30	0.30 mm (.012")	900	605	30
456	X94	TAC30	0.30 mm (.012")	900	630	30
457	A19	TAC30	0.30 mm (.012")	910	566	30
458	S54	TAC30	0.30 mm (.012")	910	600	30
459	A87	TAC30	0.30 mm (.012")	910	665	30
460	X42	TAC30	0.30 mm (.012")	915	605	30
461	K44	TAC30	0.30 mm (.012")	920	715	30
462	S52	TAC30	0.30 mm (.012")	925	740	30
463	X18	TAC30	0.30 mm (.012")	930	605	30
464	Q55	TAC30	0.30 mm (.012")	940	718	30
465	X95	TAC30	0.30 mm (.012")	940	730	30
466	S64	TAC30	0.30 mm (.012")	950	567	30
467	A25	TAC30	0.30 mm (.012")	960	790	30
468	F15	TAC30	0.30 mm (.012")	965	633	30
469	H01	TAC30	0.30 mm (.012")	968	636	30
470	J94	TAC30	0.30 mm (.012")	970	845	30
471	F24	TAC30	0.30 mm (.012")	975	663	30
472	A89	TAC30	0.30 mm (.012")	975	710	30
473	A66	TAC30	0.30 mm (.012")	995	649	30
474	R19	TAC30	0.30 mm (.012")	1010	970	20
475	K43	TAC30	0.30 mm (.012")	1010	1000	20
476	J10	TAC30	0.30 mm (.012")	1010	1010	20
477	H39	TAC30	0.30 mm (.012")	1015	995	20
478	R14	TAC30	0.30 mm (.012")	1016	854	20
479	Y12	TAC30	0.30 mm (.012")	1020	818	20
480	R99	TAC30	0.30 mm (.012")	1020	820	30
481	R20	TAC30	0.30 mm (.012")	1030	770	30
482	R49	TAC30	0.30 mm (.012")	1030	785	30
483	R57	TAC30	0.30 mm (.012")	1030	790	30

484	R75	TAC30	0.30 mm (.012")	1030	800	30
485	C52	TAC30	0.30 mm (.012")	1030	810	30
486	N27	TAC30	0.30 mm (.012")	1030	840	20
487	F86	TAC30	0.30 mm (.012")	1035	770	30
488	C60	TAC30	0.30 mm (.012")	1035	785	30
489	R59	TAC30	0.30 mm (.012")	1035	800	30
490	F26	TAC30	0.30 mm (.012")	1040	800	30
491	N67	TAC30	0.30 mm (.012")	1045	785	30
492	A47	TAC30	0.30 mm (.012")	1045	790	30
493	Z90	TAC30	0.30 mm (.012")	1050	655	30
494	A97	TAC30	0.30 mm (.012")	1050	769	
495	A77	TAC30	0.30 mm (.012")	1050	790	30
496	C47	TAC30	0.30 mm (.012")	1050	795	30
497	B44	TAC30	0.30 mm (.012")	1050	795	30
498	N71	TAC30	0.30 mm (.012")	1050	800	30
499	N08	TAC30	0.30 mm (.012")	1050	820	30
500	N54	TAC30	0.30 mm (.012")	1055	811	20
501	B38	TAC30	0.30 mm (.012")	1055	825	5
502	H28	TAC30	0.30 mm (.012")	1060	649	30
503	Y17	TAC30	0.30 mm (.012")	1060	651	30
504	Z53	TAC30	0.30 mm (.012")	1060	655	30
505	C08	TAC30	0.30 mm (.012")	1060	681	30
506	B18	TAC30	0.30 mm (.012")	1060	790	20
507	T46	TAC30	0.30 mm (.012")	1060	795	20
508	A11	TAC30	0.30 mm (.012")	1060	800	20
509	A28	TAC30	0.30 mm (.012")	1060	820	30
510	A41	TAC30	0.30 mm (.012")	1067	1085	750
511	N95	TAC30	0.30 mm (.012")	1085	681	30
512	K42	TAC30	0.30 mm (.012")	1085	683	900
513	K47	TAC30	0.30 mm (.012")	1085	683	30
514	K33	TAC30	0.30 mm (.012")	1090	800	20
515	A75	TAC30	0.30 mm (.012")	1092	820	20
516	A55	TAC30	0.30 mm (.012")	1093	821	20
517	Q65	TAC30	0.30 mm (.012")	1100	925	20
518	H78	TAC30	0.30 mm (.012")	1100	1065	20
519	B08	TAC30	0.30 mm (.012")	1130	610	6
520	Y06	TAC30	0.30 mm (.012")	1130	900	20
521	Q96	TAC30	0.30 mm (.012")	1130	930	20
522	B04	TAC30	0.30 mm (.012")	1143	1080	20
523	A98	TAC30	0.30 mm (.012")	1150	710	
524	B01	TAC30	0.30 mm (.012")	1150	753	
525	B02	TAC30	0.30 mm (.012")	1150	730	
526	F96	TAC30	0.30 mm (.012")	1160	910	20
527	K57	TAC30	0.30 mm (.012")	1180	1000	20
528	A59	TAC30	0.30 mm (.012")	1210	585	750
529	K10	TAC30	0.30 mm (.012")	1220	880	20
530	Q06	TAC30	0.30 mm (.012")	1270	1035	20
531	Y21	TAC30	0.30 mm (.012")	1270	1050	20
532	A38	TAC30	0.30 mm (.012")	1278	945	750
533	A39	TAC30	0.30 mm (.012")	1278	985	750
534	Q44	TAC30	0.30 mm (.012")	1280	1030	20
535	C94	TAC30	0.30 mm (.012")	1280	1095	20
536	A43	TAC30	0.30 mm (.012")	1296	985	750
537	Q09	TAC30	0.30 mm (.012")	1310	1050	20



538	B35	TAC30	0.30 mm (.012")	1400	600	20
539	Q04	TAC30	0.30 mm (.012")	1410	1140	20
540	A79	TAC30	0.30 mm (.012")	1410	1145	20
541	Q41	TAC30	0.30 mm (.012")	1410	1165	20
542	K51	TAC30	0.30 mm (.012")	1420	1080	20
543	Q18	TAC30	0.30 mm (.012")	1430	1165	20
544	T05	TAC30	0.30 mm (.012")	1447	583	20
545	J40	TAC30	0.30 mm (.012")	1450	1150	20
546	B14	TAC30	0.30 mm (.012")	1473	810	20
547	Y42	TAC30	0.30 mm (.012")	1473	1165	20
548	K01	TAC30	0.30 mm (.012")	1480	1150	20
549	Q38	TAC30	0.30 mm (.012")	1610	1240	20

**Symcon Inc.**

Head Office & Warehouse  
9723 Industrial Drive  
Pineville, NC 28134, USA  
Tel: +1 (704) 817-5950  
Fax: +1 (704) 817-5957  
email: [info@processtechgroup.com](mailto:info@processtechgroup.com)